

DÍÑÑÈÉÑÈÀß ØAÄÄÐÀÖÈß



(19) RU (11) 2 255 711 (13) C2
(51) IIÉ⁷ A 61 F 2/32

ÓΔΑΔΕΥΙΑ ΝΕΩΕΑΑ
ΙΙ ΕΙΩΑΕΕΑΕΩΑΕΥΙΙ ΝΙΑΝΩΑΙΙΝΩΕ, ΙΑΩΑΙΩΑΙ
Ε ΔΙΑΔΕΙΠΙ ΚΙΑΕΑΙ


(12) **TIÈÑÀÍÈA ÈCIÁÐAÒAÍÈB** È **ÍÀÒAÍÒÓ**

(21), (22) Çà áéé: 2002119156/14, 04.07.2002
(24) Ááéá lá-áéé áééñóéé láééñóéé: 04.07.2002
(43) Ááéá lóáééñóéé çá áéé: 20.01.2004
(45) Íóáééñóéé: 10.07.2005 Ápê. 19
(56) Ñíáééñóéé áééñóéé, óééñóééñóééñóéé ló áééñóéé láééñóéé: RU 2089136 C1, 10.09.1997. RU 2086210 C1, 10.08.1997. SU 1620496 Á, 30.10.1990. US 5653764 Á, 05.08.1997.

Ääðän äe Yäðäiññëe:
420015, ä. Èäçäiñ, öe. I. Äiðüéiäi, 3, IÉÖÖ
"ÄÖL", Yäðäiññüé Iðääë

(54) ΥΙΑΤΕΙΩΑΣ ΘΑΙΑΑΔΑΙΑΙ ΝΟΝΩΑΑ

(57) ວິທີວິທະຍາ



RUSSIAN FEDERATION



FEDERAL SERVICE
FOR INTELLECTUAL PROPERTY,
PATENTS AND TRADEMARKS

(19) RU⁽¹¹⁾ 2 255 711⁽¹³⁾ C2
(51) Int. Cl.⁷ A 61 F 2/32

(12) ABSTRACT OF INVENTION

(21), (22) Application: 2002119158/14, 04.07.2002

(24) Effective date for property rights: 04.07.2002

(43) Application published: 20.01.2004

(45) Date of publication: 10.07.2005 Bull. 19

Mail address:

420015, g.Kazan', ul. M. Gor'kogo, 3, NITsT
"VTO", patentnyj otdel

(72) Inventor(s):
Gafarov Kh.Z. (RU),
Gimmel'farb A.L. (RU)

(73) Proprietor(s):
Nauchno-issledovatel'skij tsentr Tatarstana
"Vosstanovitel'naja travmatologija i
ortopedija" (NITsT "VTO") (RU)


(54) HIP JOINT ENDOPROSTHESIS

(57) Abstract:

FIELD: medical engineering.

SUBSTANCE: device has pelvic member, head, neck, pedicle having upper cylindrical part having threaded canals and lower conic narrowing part having grooves the threaded turn into, and rods placed in the canals and grooves and having faceted heads and flanges. Each canal and matching groove have common axis arranged in parallel to surface generatrix of conical portion of the pedicle. The axes of the canals and grooves are convergent in distal direction. Rigid rods threaded all along with butress thread responding to canal thread are mounted in the grooves in a way that rod thread protrudes above conical pedicle portion surface. Tap slits are available in rod ends.

EFFECT: high stability of endoprosthesis pedicle.
5 dwg



RU 2 255 711 C2

RU
2 255 711 C2

Էցւածական է լուրջնորդ և լավագույն, ինչ ունեալի - է օձականի լաւագույն, անհաջող է լուրջնորդ և անհաջող օձական կողմանական է լուրջնորդ և անհաջող օձականը կողմանական:

45 Αὐτὸν διέτασσε διάκυπαν ήδονάς πάσιν αὐτούς ποιεῖν. Παρότι

Óñòðiéñòâi Tðèiâi áòñ ñëåäóþùèi íáðàçii.

20 Óráí Íñééíñ Óñééááéþò. Ááéüñáéþòá ááéááééá áíéüñíñ ðééé+íí áé Íñéááñéóð ñíáðáóðéþ yíñééñðóáéðéñááé ðáéñááñðáíññ ñíñóñðááá.

Èñòî+íèêè èíôîñìàöèè

1. Tàdáïò '11438765, Å 61 F 2/32; ÅÈ '43, 1988.
2. Tàdáïò '2066153, Å 61 F 2/32; ÅÈ '25, 1996.
3. Tàdáïò '2089136, Å 61 F 2/32; ÅÈ '25, 1997.

25

Óiðiðeà èçîáðâðâíè

40

45

